# Disaster Medicine and Public Health Preparedness



# Assessment of the effects of severe winter disasters (dzud) on public health in Mongolia based on loss of livestock

Journal:	Disaster Medicine and Public Health Preparedness
Manuscript ID	DMPHP-14-0207.R4
Manuscript Type:	Brief Report
Date Submitted by the Author:	n/a
Complete List of Authors:	Otani, Shinji; Tottori University, International Platform for Dryland Research and Education Onishi, Kazunari; Tottori University, Faculty of Medicine Kurozawa, Youichi; Tottori University, Faculty of Medicine Kurosaki, Yasunori; Tottori University, Arid Land Research Center Bat-Oyun, Tserenpurev; Tottori University, Arid Land Research Center Shinoda, Masato; Nagoya University, Graduate School of Environmental Studies Mu, Haosheng; Datong City, Health and Family Planning Commission
Keywords:	Winter Disaster, Dzud, Dryland, Infant Mortality, Livestock
	·

SCHOLARONE<sup>™</sup> Manuscripts

### **Brief Report**

Assessment of the effects of severe winter disasters (*dzud*) on public health in Mongolia based on loss of livestock

Shinji Otani, MD, PhD<sup>1</sup>; Kazunari Onishi, PhD<sup>2</sup>; Youichi Kurozawa, MD, PhD<sup>2</sup>; Yasunori Kurosaki, PhD<sup>3</sup>; Tserenpurev Bat-Oyun, PhD<sup>3</sup>; Masato Shinoda, PhD<sup>4</sup>; Haosheng Mu, MD, PhD<sup>5</sup>

<sup>1</sup>International Platform for Dryland Research and Education, Tottori University, Tottori, Japan

<sup>2</sup>Division of Health Administration and Promotion, Faculty of Medicine, Tottori University, Yonago, Japan

<sup>3</sup>Arid Land Research Center, Tottori University, Tottori, Japan

<sup>4</sup>Graduate School of Environmental Studies, Nagoya University, Nagoya, Japan

<sup>5</sup>Health and Family Planning Commission of Datong City, China

Address correspondence to Shinji Otani, MD, PhD: International Platform for Dryland Research and Education, Tottori University, 1390 Hamasaka, Tottori, Japan, fax: 81-857-29-6199, telephone: 81-857-30-6317 (E-mail: ota24n2@med.tottori-u.ac.jp).

### **Funding and Support**

This work was supported by JSPS KAKENHI (Grant Number: 25220201) and the Assessment and Control of Dust Emission in Degraded Drylands of East Asia (Project Asian Dust), Tottori University.

#### Abstract

**Objective:** Mongolia experienced one of the most severe natural winter disasters (*dzud*) in 2009–2010. It is difficult to accurately assess the risk of the effects of *dzud* on human lives and public health. This study aimed to evaluate the Mongolian public health risks of *dzud* by assessing livestock loss.

**Methods:** We analyzed data from all 21 provinces and Ulaanbaatar in Mongolia and compared the changes in infant mortality (2009–2010) and the decline in the numbers of livestock (percent change from the previous year), which included horses, cattle, camels, sheep, and goats (2009–2010) and/or meteorological data. We also evaluated the association among the trends in the infant mortality rate, the number of livestock, and foodstuff consumption in throughout Mongolia (2001–2012).

**Results:** The change in the infant mortality rate was positively correlated with the rate of decreasing numbers of each type of livestock in

2010. Average temperature and total precipitation were not related to the change in the infant mortality rate. In the trend from 2001 to 2012, there was a significant positive correlation between the infant mortality rate and the number of livestock / milk products consumption.

**Conclusions:** Loss of livestock and shortage of milk products leading to malnutrition might have affected public health problem typified by infant mortality in Mongolia.

Key Words: Winter Disaster, Dzud, Dryland, Infant Mortality, Livestock

#### INTRODUCTION

Dzud is a Mongolian term for a severe winter disaster in which heavy snow, extreme cold, or other conditions render forage unavailable or inaccessible, leading to high livestock mortality. During 1999-2002, Mongolia experienced consecutive *dzuds* that resulted in a loss of nearly six million livestock. As a result, severe psychological stress and increased school dropout rates were reported. In addition, increased migration of rural herders into urban centers has placed a burden on water, sanitation, medical, and social services. This disaster threatened the health and food security of approximately 40% of the country's population.<sup>1</sup> In the winter of 2009–2010, Mongolia experienced the most severe *dzud* since the consecutive *dzud* winters of 1999–2002.<sup>2</sup> However, it is obviously difficult to accurately evaluate the risk of the effects of *dzud* on human lives and public health and there are few reports about such creeping cold disasters in dryland. Therefore, medical support systems by government and other nongovernmental organization hardly construct in *dzud*.

In general, during extreme cold weather, some population groups such little children, elderly people, and outdoor workers are more vulnerable than others.<sup>3</sup> Especially, infants lower their resistance to severe environment and this group is one of the highest risk groups in natural disasters. Infant mortality is the death of a child < 1 year of age. The infant mortality rate is an estimate of the number of infant deaths for every 1,000 live births. This rate is often used as an indicator to measure the health and well-being of a nation because factors affecting the health of entire populations can also impact the mortality rate of infants. The global rate in 2012 was 35 deaths per 1,000 births. The lowest rates were in Sweden, Singapore, Norway, Luxembourg, Japan, Iceland, and Finland, which had 2 deaths per 1,000 live births, while the highest was in Sierra Leone, which had 117. For Mongolia, the rate was 23 deaths per 1,000 births.<sup>4</sup> This study aimed to evaluate Mongolian public health risks typified by infant mortality in terms of livestock loss with dzud.

#### METHODS

# Association between infant mortality and the declining rate in the numbers of livestock or meteorological data in the latest *dzud*

We analyzed data from all 21 aimags (provinces of Mongolia) and Ulaanbaatar in Mongolia. We defined the change in infant mortality as the difference in the infant mortality rate from 2009 to 2010. The declining rate in the numbers of livestock in 2010 was determined based on a decreasing year-on-year percentage of livestock, including horses, cattle, camels, sheep, goats, and sheep units (horses  $\times$  7, cattle  $\times$  6, camels  $\times$  5, sheep  $\times$  1, and goats  $\times$  0.9). We compared the change in infant mortality with the declining rate in the numbers of livestock. These parameters were based on data from the National Statistical Office of Mongolia.<sup>5-7</sup> We also compared the change in infant mortality with average temperature and total precipitation in each aimag center (province capital) from October 2009 to February 2010. These meteorological data were based on National Agency for Meteorology,

Hydrology and Environment Monitoring.

#### Time-course analysis

We evaluated the association among the following trends from 2001 to 2012 throughout Mongolia: 1) the infant mortality rate, 2) the number of livestock conversion to sheep unit, and 3) foodstuff consumption. The contents of foodstuff consumption were milk products and meat products, and were indicated by adult equivalent (kg per month). These data were also from the National Statistical Office of Mongolia.<sup>4-6</sup>

#### Statistical analysis

All data analyses were performed using SPSS 21.0 for Windows (IBM, Armonk, NY, USA). The relationships between the declining rate in the numbers of livestock and the change in infant mortality or the infant mortality rate were assessed using the Spearman rank-correlation with a significance level of 5%.

#### RESULTS

# Association between infant mortality and the declining rate in the numbers of livestock or meteorological data in the latest *dzud*

The changes in infant mortality and the declining rate in the numbers of livestock (in sheep units) are shown Figure 1. The infant mortality rate across Mongolia in 2010 (20.2 deaths per 1,000) was increased by 0.2 points compared with that in 2009 (20.0 deaths per 1,000). The declining rate in the numbers of each livestock (horses, cattle, camels, sheep, goats, and sheep units) across Mongolia in 2010 were 13.5%, 16.3%, 2.7%, 24.9%, 29.4%, and 21.2%, respectively. The correlation coefficients between the changes in infant mortality and the declining rate in the numbers of each livestock were positively correlated: horses, 0.348, p = 0.112; cattle, 0.392, p = 0.071; camels, 0.44, p = 0.038; sheep, 0.277, p = 0.277; goats, 0.200, p = 0.371; and sheep units, 0.362, p = 0.098. The correlation coefficients between the changes in

infant mortality and meteorological data were -0.001 (p = 0.997) in average temperature and -0.123 (p = 0.627) in total precipitation.

#### Time-course analysis

Figure 2 shows trends in the infant mortality rate, the number of livestock, milk products consumption, and meat products consumption throughout Mongolia from 2001 to 2012. The infant morality rate was significantly negatively correlated with the number of livestock and milk products consumption (r = -0.797, p = 0.002; r = -0.784, p = 0.003, respectively). There was no correlation between the infant mortality rate and meat products consumption (r = 0.304, p = 0.336). The number of livestock was significantly correlated with milk products consumption (r = 0.872, p < 0.001), however meat products consumption had no association with the number of livestock (r = -0.230, p = 0.472).

#### DISCUSSION

The present study shows that loss of livestock was associated with infant mortality in Mongolia. Globally (including Mongolia), the infant mortality rate has been decreasing yearly, except after dzud in Mongolia. Mass debilitation and death of livestock in Mongolia adversely affect many herders who depend on their animals for food, fuel, income, and transportation.<sup>1</sup> In the current study, we assessed all of Mongolia, including Ulaanbaatar, which is the capital city with few agricultural workers and livestock. Nonetheless, the changes in the overall trends in infant mortality were closely associated with livestock loss. This livestock damage affects public health throughout Mongolia. On the other hand, cold environment was not influential to infant mortality, although it is said that low ambient temperature related many kinds of mortality.<sup>3</sup> As reasons for that, the period of this cold disaster was relatively short duration (5 months) compared to time before last and we assessed without dividing into areas: rural and urban area.

The 1999–2002 *dzud* threatened the health and food security of approximately 40% of the country's population.<sup>8</sup> In a 2001 survey, there were indications of a high prevalence of growth stunting, which is indicative of chronic malnutrition, in children aged 6–59 months in districts severely affected by *dzud.*<sup>1</sup> In our study, milk products consumption in 2010 decreased compared to the previous year, same as the number of livestock. It is widely known that milk and milk products are important nutrients in childhood. Therefore, poor intake of milk products leading to malnutrition may be one of the factors of increase in the infant mortality.

Furthermore, there is a potential nutritional problem of lack of vitamin D in Mongolia. Vitamin D deficiency is a highly prevalent disorder in children and pregnant women because of its insufficient dietary intake in Mongolia.<sup>9</sup> This deficiency remains a public health problem. Vitamin D, a nutrient derived from diet and sunlight, helps the body absorb calcium and has been recognized as pivotal to good health. Mongolians, especially nomads, lack access to vitamin D-fortified foods or foods that are naturally rich in vitamin D, including fish and champignon. In addition, there is almost no vitamin D produced in the skin in the winter in Mongolia because the amount of ultraviolet (UV)-B reaching the earth's surface is insufficient at this latitude (Ulaanbaatar is at 48°N).<sup>10</sup> Moreover, there are fewer hours of sunlight in *duzd* than normal winter and decreased intake of calcium from dairy products because of loss of livestock. These factors are thought to be causally related to increasing infant mortality in *dzud*. Previous studies<sup>11,12</sup> have shown that vitamin D deficiency is strongly associated with critically ill children.

Our study had some limitations. First, we did not investigate the cause of the infant deaths (infections, external injuries, maternal problems, and so on) or review any laboratory data, including measurement of vitamin D levels. Second, we could not assess the impact of *dzud* on the elderly that is another

risk group. However, crude death rate in each aimg hardly increased and a percentage of elderly people was low in Mongolia (life expectancy at birth in 2010, 68.05 years old).<sup>7</sup> Therefore, the impact on the very elderly people looks limited. Another limitation of current study is the problem of census region. We chose the *aimag* unit as our census region, which was too rough to use for making a hazard map. It is necessary to conduct more detailed surveys on disorders associated with dzud. Various risk assessment strategies for severe climatic disaster in Mongolia have been reported.<sup>13</sup> For comprehensive *dzud* risk assessment, it is necessary to monitor snowfall in the winter, the vegetation condition in the previous summer, and the density and health conditions of the livestock.<sup>14</sup> Moreover, it is hoped that a comprehensive and integrated approach would include epidemiologic surveys to predict and prevent or minimize damage caused by *dzud*.

Recently, non-seasonal weather adding to the damage was observed. An intense snow and dust storm occurred on May 26–27, 2008 in a broad area of

Mongolia, killing 52 people and 280,000 livestock. Our surveys showed that such a severe dust storm not only directly impaired nomads' health but also impacted long-term health, including decreased quality of life (QOL).<sup>15,16</sup> In particular, there was a significant correlation between livestock loss and QOL of physical and spiritual health because of the economic losses after such a large loss of livestock.<sup>15</sup> Therefore, decreased QOL might be bringing not only acute disaster but also 'creeping disaster' such as *dzud*, which causes a great financial loss all over Mongolia. Long-term medical health supports includes psychological consultations are necessary after *dzud*.

#### CONCLUSIONS

Increase in the infant mortality rate in *dzud* is associated with loss of livestock and decreasing milk products consumption, which may cause deterioration of the nutritional status. Public health problem with *duzd* typified by the infant mortality rate may be affected by livestock loss and shortage of milk products

## **Conflicts of Interest**

The authors have no conflicts of interest to declare associated with this

study.

#### REFERENCES

- 1. Centers for Disease C, Prevention. Nutritional assessment of children after severe winter weather--Mongolia, June 2001. *Morbidity and mortality weekly report.* 2002; 5:5-7.
- Morris L. Death and suffering in the land of Genghis Khan. *CMAJ*. 2011; 183:E271-272.
- Goggins WB, Yang C, Hokama T, et al. Using annual data to estimate the public health impact of extreme temperature. Am J Epiemiol. 2015; 182:80-87.
- The UN Inter-agency Group for Child Mortality Estimation. Levels & Trends in Child Mortality Report 2013. New York: United Nations Children's Fund; 2013.
- Statistical Yearbook 2002. Ulaanbaatar: National Statistical Office of Mongolia; 2003.
- Statistical Yearbook 2006. Ulaanbaatar: National Statistical Office of Mongolia; 2007.

- Statistical Yearbook 2010. Ulaanbaatar: National Statistical Office of Mongolia; 2011.
- Mongolia winter disaster *dzud*: United Nations and government of Mongolia appeal for international assistance. Geneva: United Nations Office for the Coordination of Humanitarian Affairs; 2001.
- Uush T. Prevalence of classic signs and symptoms of rickets and vitamin
  D deficiency in Mongolian children and women. J Steroid Biochem Mol Biol. 2013; 136:207-210.
- Ganmaa D, Holick MF, Rich-Edwards JW et al. Vitamin D deficiency in reproductive age Mongolian women: a cross sectional study. J Steroid Biochem Mol Biol. 2014; 139:1-6.
- Madden K, Feldman HA, Smith EM et al. Vitamin D deficiency in critically ill children. *Pediatrics.* 2012; 130:421-428.
- 12. McNally JD, Menon K, Chakraborty P et al. The association of vitamin D status with pediatric critical illness. *Pediatrics*. 2012; 130:429-436.
- 13. Shinoda M, Nachinshonhor GU, Nemoto M. Impact of drought on

vegetation dynamics of the Mongolian steppe: A field experiment. J Arid Environ. 2010; 74:63-69.

- 14. Tachiiri K, Shinoda M, Klinkenberg B et al. Assessing Mongolian snow disaster risk using livestock and satellite data. J Arid Environ. 2008; 72:2251-2263.
- 15. Mu H, Battsetseg B, Ito TY et al. Health effects of dust storms: subjective eye and respiratory system symptoms in inhabitants in Mongolia. J Environ Health. 2011; 73:18-20.
- 16. Mu H, Otani S, Shinoda M et al. Long-term effects of livestock loss caused by dust storm on mongolian inhabitants: a survey 1 year after the dust storm. *Yonago Acta Med.* 2013; 56:39-42.

Page 19 of 20

**Disaster Medicine and Public Health Preparedness** 



**Fig. 1** Mongolian maps showing the declining rate of livestock by sheep unit (above) and the change in infant mortality (below) in each *aimag* from 2009 to 2010.

**Cambridge University Press** 



**Fig. 2** Trends in the infant mortality rate, the number of livestock, and foodstuff consumption throughout Mongolia from 2001 to 2012. IMR: the infant mortality rate; FC: foodstuff consumption; Milk: milk products consumption; Meat: meat products consumption.